| L Number | Hits | Search Text | DB | Time stamp |
|---|---|---|---|---|
| 7 | ✓ 173 | (fax$3 OR facsimile$1) WITH (baud$1 OR baud$1rate$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/23 13:47 |
| 9 | ✓ 98 | ("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) WITH (baud$1 OR baud$1rate$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/23 13:33 |
| 10 | 473 | ("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) SAME (fax$3 OR facsimile$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/23 13:34 |
| 11 | V 212 | ("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) WITH (fax$3 OR facsimile$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/23 13:44 |
| 12 | 869 | ("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) WITH (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR $1bps OR bit$2per$1sec$1 OR bit$2/sec$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/23 13:47 |
| 13 | 576 | ("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) NEAR3 (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR $1bps OR bit$2per$1sec$1 OR bit$2/sec$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/23 13:55 |
| 14 | ✓ 88 | (fax$3 OR facsimile$1) AND (("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) NEAR3 (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR $1bps OR bit$2per$1sec$1 OR bit$2/sec$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/23 13:55 |
| 16 | 10884 | (("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) NEAR3 (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR bps OR bit$2per$1sec$1 OR bit$2/sec$1)) OR kbps | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/23 13:55 |
| 17 | 2198 | (fax$3 OR facsimile$1) AND ((("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) NEAR3 (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR bps OR bit$2per$1sec$1 OR bit$2/sec$1)) OR kbps) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/23 13:56 |
| 18 | 478 | (fax$3 OR facsimile$1) SAME ((("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) NEAR3 (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR bps OR bit$2per$1sec$1 OR bit$2/sec$1)) OR kbps) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/23 13:56 |
| 19 | ✓ 286 | (fax$3 OR facsimile$1) WITH ((("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) NEAR3 (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR bps OR bit$2per$1sec$1 OR bit$2/sec$1)) OR kbps) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/23 14:06 |
| 24 | 798 | ((fax$3 OR facsimile$1) OR modem$1) WITH classif$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/23 14:09 |

| | | | | |
|---|---|---|---|---|
| 26 | ✓ 2 | (((fax$3 OR facsimile$1) OR modem$1) WITH classif$6) SAME (baud OR baud$1rate$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/23 14:38 |
| 28 | ✓ 115 | (((fax$3 OR facsimile$1) OR modem$1) WITH classif$6) AND (370/$6.ccls. OR 379/$6.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/23 14:22 |
| 29 | ✓ 21 | (((fax$3 OR facsimile$1) AND modem$1) WITH classif$6) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/23 14:47 |
| 31 | 774 | (fax$3 OR facsimile$1) WITH (negotiat$4 OR auto$1negotiat$4 OR hand$1shak$3 OR (hand ADJ1 shak$3)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/23 14:49 |
| 32 | ✓ 45 | ((fax$3 OR facsimile$1) WITH (negotiat$4 OR auto$1negotiat$4 OR hand$1shak$3 OR (hand ADJ1 shak$3)) ) SAME (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR bps OR bit$2per$1sec$1 OR bit$2/sec$1 OR kbps) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/23 14:57 |
| 33 | ✓ 123 | (modem$1 WITH (negotiat$4 OR auto$1negotiat$4 OR hand$1shak$3 OR (hand ADJ1 shak$3)) ) SAME (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR bps OR bit$2per$1sec$1 OR bit$2/sec$1 OR kbps) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/23 15:07 |
| 34 | / 23 | (modem$1 SAME (fax$3 OR facsimile$1) SAME (negotiat$4 OR auto$1negotiat$4 OR hand$1shak$3 OR (hand ADJ1 shak$3)) ) SAME (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR bps OR bit$2per$1sec$1 OR bit$2/sec$1 OR kbps) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/23 15:07 |
| - | 41142 | wu.in. OR tsai.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 08:58 |
| - | 0 | ying-li-wu.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 09:01 |
| - | 0 | louis-tsai.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 09:01 |
| - | 136 | (wu.in. OR tsai.in.) AND (class$8 WITH number$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 09:03 |
| - | 11 | (wu.in. OR tsai.in.) AND (class$8 WITH number$1) AND (370/$6.ccls. OR 455/$6.ccls. OR 379/$6.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 09:03 |
| - | 40919 | class$8 WITH number$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 09:13 |

| | | | | |
|---|---|---|---|---|
| - | 196730 | ((telephon$5 OR line$1 OR phone$1 OR subscrib$5) NEAR2 number$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 09:14 |
| - | 1695 | class$8 WITH ((telephon$5 OR line$1 OR phone$1 OR subscrib$5) NEAR2 number$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 09:20 |
| - | 2 | 5815682.pn. OR 5870458.pn. | USPAT | 2004/01/12 11:25 |
| - | 888 | classif$8 WITH ((telephon$5 OR line$1 OR phone$1 OR subscrib$5) NEAR2 number$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 09:20 |
| - | 252 | classif$8 WITH ((telephon$5 OR line$1 OR phone$1 OR subscrib$5) NEAR2 number$1) AND (370/$6.ccls. OR 455/$6.ccls. OR 379/$6.ccls. OR 710/$6.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 10:46 |
| - | 174056 | type$1 WITH ( ((telephon$5 OR line$1 OR phone$1 OR subscrib$5) NEAR2 number$1) OR connection$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 10:51 |
| - | 657 | (competitiv$3 ADJ1 local ADJ1 exchang$3 ADJ1 carrier$1) OR CLEC$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 10:53 |
| - | 15392 | type$1 WITH ((telephon$5 OR line$1 OR phone$1 OR subscrib$5) NEAR2 (number$1 OR connection$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 10:52 |
| - | 78 | ((competitiv$3 ADJ1 local ADJ1 exchang$3 ADJ1 carrier$1) OR CLEC$1) AND (type$1 WITH ((telephon$5 OR line$1 OR phone$1 OR subscrib$5) NEAR2 (number$1 OR connection$1))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 10:52 |
| - | 936 | number SAME (type$1 OR classif$8) SAME ((modem$1 AND fax$3) OR (modem$1 AND facsimile$1) OR (modem$1 AND voice$1) OR (modem$1 AND ISDN$1)) | USPAT | 2004/01/12 11:28 |
| - | 325 | (number WITH (type$1 OR classif$8)) SAME ((modem$1 AND fax$3) OR (modem$1 AND facsimile$1) OR (modem$1 AND voice$1) OR (modem$1 AND ISDN$1)) | USPAT | 2004/01/12 13:21 |
| - | 34 | number SAME ((exchange ADJ1 carrier$1) OR CLEC) SAME ((modem$1 AND fax$3) OR (modem$1 AND facsimile$1) OR (modem$1 AND voice$1) OR (modem$1 AND ISDN$1)) | USPAT | 2004/01/12 12:50 |
| - | 14 | ("4197427" \| "4291200" \| "4907256" \| "5490199" \| "5712908" \| "5854835" \| "5905785" \| "5946386" \| "6011838" \| "6259778" \| "6282267" \| "6298123" \| "6351453" \| "6415024").PN. | USPAT | 2004/01/12 12:57 |
| - | 2 | ("5471522" \| "5499287").PN. | USPAT | 2004/01/12 13:06 |
| - | 2 | 5870458.URPN. | USPAT | 2004/01/12 13:06 |
| - | 11 | ("3754217" \| "4292669" \| "4293928" \| "5038320" \| "5202899" \| "5202963" \| "5459867" \| "5530887" \| "5530895" \| "5548759" \| "5574888").PN. | USPAT | 2004/01/12 13:07 |
| - | 10 | 5815682.URPN. | USPAT | 2004/01/12 13:10 |
| - | 14 | ("5153907" \| "5392344" \| "5550912" \| "5574783" \| "5606600" \| "5689555" \| "5696816" \| "5703938" \| "5712908" \| "5809121" \| "5903639" \| "5970130" \| "6035029" \| "6038227").PN. | USPAT | 2004/01/12 13:14 |

| - | 4870 | (type$1 OR classif$8) SAME ((modem$1 AND fax$3) OR (modem$1 AND facsimile$1) OR (modem$1 AND voice$1) OR (modem$1 AND ISDN$1)) | USPAT | 2004/01/12 13:21 |
|---|------|---|---|---|
| - | 82 | classif$8 SAME ((modem$1 AND fax$3) OR (modem$1 AND facsimile$1) OR (modem$1 AND voice$1) OR (modem$1 AND ISDN$1)) | USPAT | 2004/01/12 13:50 |
| - | 445 | type$1 SAME ((modem$1 AND fax$3) OR (modem$1 AND facsimile$1) OR (modem$1 AND voice$1) OR (modem$1 AND ISDN$1)) SAME (database$1 OR list$1 OR table$1) | USPAT | 2004/01/12 13:51 |
| - | 245 | type$1 SAME ((modem$1 AND fax$3) OR (modem$1 AND facsimile$1) OR (modem$1 AND voice$1) OR (modem$1 AND ISDN$1)) SAME (database$1 OR list$1 OR table$1) AND (370/$6.ccls. OR 455/$6.ccls. OR 379/$6.ccls. OR 710/$6.ccls.) | USPAT | 2004/01/12 14:26 |
| - | 409 | number$1 SAME ((modem$1 AND fax$3) OR (modem$1 AND facsimile$1) OR (modem$1 AND voice$1) OR (modem$1 AND ISDN$1)) SAME (database$1 OR list$1 OR table$1) AND (370/$6.ccls. OR 455/$6.ccls. OR 379/$6.ccls. OR 710/$6.ccls.) | USPAT | 2004/01/12 15:29 |
| - | 1 | 5436965.pn. | USPAT | 2004/01/12 15:30 |
| - | 1 | 5404400.pn. | USPAT | 2004/01/12 15:39 |
| - | 5 | ("4941168" | "5086458" | "5164981" | "5179585" | "5241587").PN. | USPAT | 2004/01/12 15:31 |
| - | 17 | 5404400.URPN. | USPAT | 2004/01/12 15:31 |
| - | 54 | hamilton.in. AND 379/$6.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 15:40 |
| - | 26 | ("3903378" | "3989907" | "5117417" | "5347566" | "5390239" | "5430793" | "5673290" | "5678198" | "5701292" | "5751802" | "5778049" | "5784406" | "5793751" | "5796723" | "5805577" | "5805668" | "5822374" | "5828748" | "5841841" | "5864541" | "5867483" | "6091713" | "6292515" | "6292539" | "6345071" | "6393051").PN. | USPAT | 2004/01/12 16:20 |
| - | 1873 | (select$5 NEAR4 (modem$1 OR analog$2 OR fax$3 OR facsimil$3)) SAME rate$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 18:55 |
| - | 868 | (select$5 NEAR4 (modem$1 OR analog$2 OR fax$3 OR facsimil$3)) WITH rate$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 18:55 |
| - | 382 | (select$5 NEAR4 (modem$1 OR fax$3 OR facsimil$3)) WITH rate$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 19:14 |
| - | 958 | modem$1 SAME (fax$3 OR facsimil$3) SAME rate$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 19:14 |
| - | 274 | (modem$1 SAME (fax$3 OR facsimil$3) SAME rate$1) AND (modem$1 WITH analog$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/12 19:15 |